



**Warehouse  
programme**

available  
from stock

**15–20  
business days\***

Delivery time max.



Residential internal doors

Timber doors in premium carpenter quality and glass doors for extra light in your home

**HÖRMANN**

# Residential internal door fast-track programme

Timber doors, glass doors

**HÖRMANN**

# 2020 European Promotion campaign door



## BaseLine, Duradecor White lacquer\*\*, flush-closing door leaf with angular edge and 4Protect edge guard



| Insert      | Tubular chipboard plate |      |
|-------------|-------------------------|------|
| Door height | 1972                    | 2097 |
| Door width  |                         |      |
| 584         | 15                      | 15   |
| 709         | 15                      | 15   |
| 834         | 15                      | 15   |
| 959         | 15                      | 15   |



Complete door set with flush-closing door leaf and concealed hinges

### Frame for flush-closing door leaf, Duradecor White lacquer

| Wall thickness | 100         | 120 | 140 | 150 | 160 | 180 | 200 | 220 | 240 | 260 | 270 | 280 | 300 | 320 |
|----------------|-------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Door height    | 1972 / 2097 |     |     |     |     |     |     |     |     |     |     |     |     |     |
| Door width     |             |     |     |     |     |     |     |     |     |     |     |     |     |     |
| 584            | 15          | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  |
| 709            | 15          | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  |
| 834            | 15          | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  |
| 959            | 15          | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  |



## BaseLine, Duradecor White lacquer, rebated door leaf with round edge

| Insert      | Tubular chipboard plate |      |
|-------------|-------------------------|------|
| Door height | 1985                    | 2110 |
| Door width  |                         |      |
| 610         | ●                       | ●    |
| 735         | ●                       | ●    |
| 860         | ●                       | ●    |
| 985         | ●                       | ●    |



Complete door set with rebated door leaf with elegant rounded edges

### Frame for rebated door leaf, Duradecor White lacquer

| Wall thickness | 80   | 100 | 120 | 140 | 150 | 160 | 180 | 200 | 220 | 240 | 260 | 270 | 280 | 300 | 320 |
|----------------|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Door height    | 1985 |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
| Door width     |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
| 610            | ●    | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●   | 10  | 10  | ●   | 10  | ●   | 10  |
| 735            | ●    | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●   | 10  | ●   | ●   | ●   |
| 860            | ●    | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●   |
| 985            | ●    | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●   |
| 1110           | 15   | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  |
| 1235           | 15   | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  |

# Fast-track programme for timber doors



## BaseLine, Duradecor White lacquer\*\*, rebated door leaf with round edge

| Insert             | Spacers |      | Tubular chipboard plate |      | Solid chipboard |      | DIN LA without glass |      | DIN LA with clear float glass, Satinato |      | DIN 24 without glass |      |
|--------------------|---------|------|-------------------------|------|-----------------|------|----------------------|------|---|------|----------------------|------|
|                    | 1985    | 2110 | 1985                    | 2110 | 1985            | 2110 | 1985                 | 2110 | 1985                                    | 2110 | 1985                 | 2110 |
| <b>Door height</b> |         |      |                         |      |                 |      |                      |      |   |      |                      |      |
| <b>Door width</b>  |         |      |                         |      |                 |      |                      |      |   |      |                      |      |
| 610                | ●       | 15   | ●                       | ●    | 15              | 15   | 15                   | 15   | 20                                      | 20   | 15                   | 15   |
| 735                | ●       | 15   | ●                       | ●    | 15              | 15   | ●                    | 15   | 20                                      | 20   | 15                   | 15   |
| 860                | ●       | 15   | ●                       | ●    | 15              | 15   | ●                    | ●    | ●                                       | 20   | 15                   | 15   |
| 985                | ●       | 15   | ●                       | ●    | 15              | 15   | ●                    | ●    | 20                                      | 20   | 15                   | 15   |
| 1110               | 15      | 15   | 15                      | 15   | 15              | 15   | 15                   | 15   | 20                                      | 20   | 15                   | 15   |
| 1235               | 15      | 15   | 15                      | 15   | 15              | 15   | 15                   | 15   | 20                                      | 20   | 15                   | 15   |

| Door height       | Double-leaf |      | Sliding door*** +/- LA |      | ECO K2 SK2 |      | WAT system 1 |      | WAT system 2 (SK2) |      | WAT system 2 (SK3) |      |
|-------------------|-------------|------|------------------------|------|------------|------|--------------|------|--------------------|------|--------------------|------|
|                   | 1985        | 2110 | 2031                   | 2156 | 1985       | 2110 | 1985         | 2110 | 1985               | 2110 | 1985               | 2110 |
| <b>Door width</b> |             |      |                        |      |            |      |              |      |                    |      |                    |      |
| 610               | 15          | 15   | 20                     | 20   | 15         | 15   | 15           | 15   | 15                 | 15   | 15                 | 15   |
| 735               | 15          | 15   | 20                     | 20   | 15         | 15   | 15           | 15   | 15                 | 15   | 15                 | 15   |
| 860               | 15          | 15   | 20                     | 20   | ●          | ●    | ●            | ●    | ●                  | ●    | 15                 | 15   |
| 985               | 15          | 15   | 20                     | 20   | ●          | ●    | ●            | ●    | ●                  | ●    | 15                 | 15   |
| 1110              | 15          | 15   | 20                     | 20   |            |      |              |      | 15                 | 15   | 15                 | 15   |
| 1235              | 15          | 15   | 20                     | 20   |            |      |              |      | 15                 | 15   | 15                 | 15   |



## BaseLine, Duradecor White lacquer\*\*, rebated door leaf with angular edge with 4Protect edge guard

| Insert             | Honeycomb |      | Tubular chipboard plate |      | Solid chipboard |      | DIN LA without glass |      | LA 24 without glass |      |
|--------------------|-----------|------|-------------------------|------|-----------------|------|----------------------|------|---------------------|------|
|                    | 1985      | 2110 | 1985                    | 2110 | 1985            | 2110 | 1985                 | 2110 | 1985                | 2110 |
| <b>Door height</b> |           |      |                         |      |                 |      |                      |      |                     |      |
| <b>Door width</b>  |           |      |                         |      |                 |      |                      |      |                     |      |
| 610                | ●         | 15   | ●                       | ●    | 15              | 15   | 15                   | 15   | 15                  | 15   |
| 735                | ●         | 15   | ●                       | ●    | 15              | 15   | 15                   | 15   | 15                  | 15   |
| 860                | ●         | 15   | ●                       | ●    | 15              | 15   | ●                    | ●    | 15                  | 15   |
| 985                | ●         | 15   | ●                       | ●    | 15              | 15   | ●                    | ●    | 15                  | 15   |
| 1110               | 15        | 15   | 15                      | 15   | 15              | 15   | 15                   | 15   | 15                  | 15   |
| 1235               | 15        | 15   | 15                      | 15   | 15              | 15   | 15                   | 15   | 15                  | 15   |

| Door height       | Double-leaf |      | Sliding door*** +/- LA |      | ECO K2 SK2 |      | WAT system 1 |      | WAT system 2 (SK2) |      | WAT system 2 (SK3) |      |
|-------------------|-------------|------|------------------------|------|------------|------|--------------|------|--------------------|------|--------------------|------|
|                   | 1985        | 2110 | 2031                   | 2156 | 1985       | 2110 | 1985         | 2110 | 1985               | 2110 | 1985               | 2110 |
| <b>Door width</b> |             |      |                        |      |            |      |              |      |                    |      |                    |      |
| 610               | 15          | 15   | 20                     | 20   | 15         | 15   | 15           | 15   | 15                 | 15   | 15                 | 15   |
| 735               | 15          | 15   | 20                     | 20   | 15         | 15   | 15           | 15   | 15                 | 15   | 15                 | 15   |
| 860               | 15          | 15   | 20                     | 20   | ●          | ●    | ●            | ●    | ●                  | ●    | 15                 | 15   |
| 985               | 15          | 15   | 20                     | 20   | ●          | ●    | ●            | ●    | ●                  | ●    | 15                 | 15   |
| 1110              | 15          | 15   | 20                     | 20   |            |      |              |      | 15                 | 15   | 15                 | 15   |
| 1235              | 15          | 15   | 20                     | 20   |            |      |              |      | 15                 | 15   | 15                 | 15   |

### Fast-track programme

● available from stock

**15** Delivery time 15 business days\*

**20** Delivery time 20 business days\*

\* Business days: Monday to Friday with the exception of bank holidays

\*\* All other Duradecor surfaces with a height of 1860–2110 mm and width of 610–1235 mm are available in the fast-track programme with a delivery time of 15 business days.

\*\*\* The sliding doors are only available for the SlideCompact version in grid sizes 651, 776, 901, 1026 and 1151 mm. Sliding doors with DIN LA and LA24 are also available in the fast-track programme with a delivery time of 20 working days.

### Frame types

The matching frames can be found on pages 16/17

### Hinge and lock fittings, edge version

Warehouse goods with standard equipment acc. to price list  
Fast-track programme equipment see pages 10–12  
Doors in rebated version possible

### LA glazings

LA glazings in the fast-track programme include the glass types Clear, Satinato and GS035 matt style or clear style for door widths 860/985 with heights 1985/2110.

**Attention:** Change of delivery time by +5 business days.

# Fast-track programme for timber doors




## BaseLine, Duradecor timber designs\*\*, rebated door leaf with round edge

| Insert             | Spacers     | Tubular chipboard plate | Solid chipboard | DIN LA without glass | LA 24 without glass |
|--------------------|-------------|-------------------------|-----------------|----------------------|---------------------|
| <b>Door height</b> | <b>1985</b> | <b>1985</b>             | <b>1985</b>     | <b>1985</b>          | <b>1985</b>         |
| <b>Door width</b>  |             |                         |                 |                      |                     |
| <b>610</b>         | ●           | ●                       | 15              | 15                   | 15                  |
| <b>735</b>         | ●           | ●                       | 15              | 15                   | 15                  |
| <b>860</b>         | ●           | ●                       | 15              | ●                    | 15                  |
| <b>985</b>         | ●           | ●                       | 15              | ●                    | 15                  |
| <b>1110</b>        | 15          | 15                      | 15              | 15                   | 15                  |
| <b>1235</b>        | 15          | 15                      | 15              | 15                   | 15                  |

|                    | Double-leaf | Sliding door*** +/- LA | ECO K2 SK2  | WAT system 1 | WAT system 2 (SK2) | WAT system 2 (SK3) |
|--------------------|-------------|------------------------|-------------|--------------|--------------------|--------------------|
| <b>Door height</b> | <b>1985</b> | <b>2031</b>            | <b>1985</b> | <b>1985</b>  | <b>1985</b>        | <b>1985</b>        |
| <b>Door width</b>  |             |                        |             |              |                    |                    |
| <b>610</b>         | 15          | 20                     | 15          | 15           | 15                 | 15                 |
| <b>735</b>         | 15          | 20                     | 15          | 15           | 15                 | 15                 |
| <b>860</b>         | 15          | 20                     | ●           | 15           | ●                  | 15                 |
| <b>985</b>         | 15          | 20                     | ●           | 15           | ●                  | 15                 |
| <b>1110</b>        | 15          | 20                     |             |              | 15                 | 15                 |
| <b>1235</b>        | 15          | 20                     |             |              | 15                 | 15                 |

The following Duradecor surfaces are available from stock:



## BaseLine, Duradecor White Parchment\*\*, rebated door leaf with angular edge and 4Protect edge guard



| Insert             | Honeycomb   | Tubular chipboard plate | Solid chipboard | DIN LA without glass | LA 24 without glass |
|--------------------|-------------|-------------------------|-----------------|----------------------|---------------------|
| <b>Door height</b> | <b>1985</b> | <b>1985</b>             | <b>1985</b>     | <b>1985</b>          | <b>1985</b>         |
| <b>Door width</b>  |             |                         |                 |                      |                     |
| <b>610</b>         | ●           | 15                      | 15              | 15                   | 15                  |
| <b>735</b>         | ●           | ●                       | 15              | 15                   | 15                  |
| <b>860</b>         | ●           | ●                       | 15              | ●                    | 15                  |
| <b>985</b>         | 15          | 15                      | 15              | 15                   | 15                  |
| <b>1110</b>        | 15          | 15                      | 15              | 15                   | 15                  |
| <b>1235</b>        | 15          | 15                      | 15              | 15                   | 15                  |

|                    | Double-leaf | Sliding door*** +/- LA | ECO K2 SK2  | WAT system 1 | WAT system 2 (SK2) | WAT system 2 (SK3) |
|--------------------|-------------|------------------------|-------------|--------------|--------------------|--------------------|
| <b>Door height</b> | <b>1985</b> | <b>2031</b>            | <b>1985</b> | <b>1985</b>  | <b>1985</b>        | <b>1985</b>        |
| <b>Door width</b>  |             |                        |             |              |                    |                    |
| <b>610</b>         | 15          | 20                     | 15          | 15           | 15                 | 15                 |
| <b>735</b>         | 15          | 20                     | 15          | 15           | 15                 | 15                 |
| <b>860</b>         | 15          | 20                     | 15          | 15           | 15                 | 15                 |
| <b>985</b>         | 15          | 20                     | 15          | 15           | 15                 | 15                 |
| <b>1110</b>        | 15          | 20                     |             |              | 15                 | 15                 |
| <b>1235</b>        | 15          | 20                     |             |              | 15                 | 15                 |



**BaseLine, White lacquer, similar to RAL 9016, rebated door leaf with round edge**

| Insert            | Tubular chipboard plate |      | Solid chipboard |      | DIN LA without glass |      | LA 24 without glass |      |
|-------------------|-------------------------|------|-----------------|------|----------------------|------|---------------------|------|
| Door height       | 1985                    | 2110 | 1985            | 2110 | 1985                 | 2110 | 1985                | 2110 |
| <b>Door width</b> |                         |      |                 |      |                      |      |                     |      |
| 610               | ●                       | 20   | 20              | 20   | 20                   | 20   | 20                  | 20   |
| 735               | ●                       | 20   | 20              | 20   | 20                   | 20   | 20                  | 20   |
| 860               | ●                       | 20   | 20              | 20   | ●                    | 20   | 20                  | 20   |
| 985               | ●                       | 20   | 20              | 20   | 20                   | 20   | 20                  | 20   |
| 1110              | 20                      | 20   | 20              | 20   | 20                   | 20   | 20                  | 20   |
| 1235              | 20                      | 20   | 20              | 20   | 20                   | 20   | 20                  | 20   |

| Insert            | Sliding door*** +/- LA |      | ECO K2 SK2 |      | WAT system 1 |      | WAT system 2 (SK2) |      | WAT system 2 (SK3) |      |
|-------------------|------------------------|------|------------|------|--------------|------|--------------------|------|--------------------|------|
| Door height       | 2031                   | 2156 | 1985       | 2110 | 1985         | 2110 | 1985               | 2110 | 1985               | 2110 |
| <b>Door width</b> |                        |      |            |      |              |      |                    |      |                    |      |
| 610               | 20                     | 20   | 20         | 20   | 20           | 20   | 20                 | 20   | 20                 | 20   |
| 735               | 20                     | 20   | 20         | 20   | 20           | 20   | 20                 | 20   | 20                 | 20   |
| 860               | 20                     | 20   | 20         | 20   | 20           | 20   | 20                 | 20   | 20                 | 20   |
| 985               | 20                     | 20   | 20         | 20   | 20           | 20   | 20                 | 20   | 20                 | 20   |
| 1110              | 20                     | 20   |            |      |              |      | 20                 | 20   | 20                 | 20   |
| 1235              | 20                     | 20   |            |      |              |      | 20                 | 20   | 20                 | 20   |



**BaseLine, White lacquer, similar to RAL 9016, rebated door leaf with angular edge**

| Insert            | Tubular chipboard plate |      | Solid chipboard |      | DIN LA without glass |      | LA 24 without glass |      |
|-------------------|-------------------------|------|-----------------|------|----------------------|------|---------------------|------|
| Door height       | 1985                    | 2110 | 1985            | 2110 | 1985                 | 2110 | 1985                | 2110 |
| <b>Door width</b> |                         |      |                 |      |                      |      |                     |      |
| 610               | 20                      | 20   | 20              | 20   | 20                   | 20   | 20                  | 20   |
| 735               | 20                      | 20   | 20              | 20   | 20                   | 20   | 20                  | 20   |
| 860               | 20                      | 20   | 20              | 20   | 20                   | 20   | 20                  | 20   |
| 985               | 20                      | 20   | 20              | 20   | 20                   | 20   | 20                  | 20   |
| 1110              | 20                      | 20   | 20              | 20   | 20                   | 20   | 20                  | 20   |
| 1235              | 20                      | 20   | 20              | 20   | 20                   | 20   | 20                  | 20   |

| Insert            | Sliding door*** +/- LA |      | ECO K2 SK2 |      | WAT system 1 |      | WAT system 2 (SK2) |      | WAT system 2 (SK3) |      |
|-------------------|------------------------|------|------------|------|--------------|------|--------------------|------|--------------------|------|
| Door height       | 2031                   | 2156 | 1985       | 2110 | 1985         | 2110 | 1985               | 2110 | 1985               | 2110 |
| <b>Door width</b> |                        |      |            |      |              |      |                    |      |                    |      |
| 610               | 20                     | 20   | 20         | 20   | 20           | 20   | 20                 | 20   | 20                 | 20   |
| 735               | 20                     | 20   | 20         | 20   | 20           | 20   | 20                 | 20   | 20                 | 20   |
| 860               | 20                     | 20   | 20         | 20   | 20           | 20   | 20                 | 20   | 20                 | 20   |
| 985               | 20                     | 20   | 20         | 20   | 20           | 20   | 20                 | 20   | 20                 | 20   |
| 1110              | 20                     | 20   |            |      |              |      | 20                 | 20   | 20                 | 20   |
| 1235              | 20                     | 20   |            |      |              |      | 20                 | 20   | 20                 | 20   |

**Fast-track programme**

|           |  |
|-----------|--|
| ●         | available from stock                   |
| <b>15</b> | <b>Delivery time 15 business days*</b> |
| <b>20</b> | <b>Delivery time 20 business days*</b> |

\* Business days: Monday to Friday with the exception of bank holidays  
 \*\* All other Duradecor surfaces with a height of 1860 – 2110 mm and width of 610 – 1235 mm are available in the fast-track programme with a delivery time of 15 business days.

\*\*\* The sliding doors are only available for the SlideCompact version in grid sizes 651, 776, 901, 1026 and 1151 mm. Sliding doors with DIN LA and LA24 are also available in the fast-track programme with a delivery time of 20 working days.

**Frame types**

The matching frames can be found on pages 16 / 17

**Hinge and lock fittings, edge version**

Warehouse goods with standard equipment acc. to price list  
 Fast-track programme equipment see pages 10 – 12  
 Doors in rebated version possible

**LA glazings**

LA glazings in the fast-track programme include the glass types Clear, Satinato and GS035 matt style or clear style for door widths 860 / 985 with heights 1985 / 2110.

**Attention:** Change of delivery time by + 5 business days.

# Fast-track programme for timber doors



**DesignLine Stripe 15, Duradecor White lacquer, rebated door leaf with angular edge and 4Protect edge guard**

| Insert            | Tubular chipboard plate |      | Solid chipboard |      | LA 24 without glass |      |
|-------------------|-------------------------|------|-----------------|------|---------------------|------|
| Door height       | 1985                    | 2110 | 1985            | 2110 | 1985                | 2110 |
| <b>Door width</b> |                         |      |                 |      |                     |      |
| 610               | ●                       | 15   | 15              | 15   | 15                  | 15   |
| 735               | ●                       | ●    | 15              | 15   | 15                  | 15   |
| 860               | ●                       | ●    | 15              | 15   | 15                  | 15   |
| 985               | ●                       | ●    | 15              | 15   | 15                  | 15   |

| Insert            | Sliding door**** +/- glass |      | WAT system 1 |      | WAT system 2 (SK2) |      | WAT system 2 (SK3) |      |
|-------------------|----------------------------|------|--------------|------|--------------------|------|--------------------|------|
| Door height       | 2031                       | 2156 | 1985         | 2110 | 1985               | 2110 | 1985               | 2110 |
| <b>Door width</b> |                            |      |              |      |                    |      |                    |      |
| 610               | 20                         | 20   | 15           | 15   | 15                 | 15   | 15                 | 15   |
| 735               | 20                         | 20   | 15           | 15   | 15                 | 15   | 15                 | 15   |
| 860               | 20                         | 20   | 15           | 15   | ●                  | ●    | 15                 | 15   |
| 985               | 20                         | 20   | 15           | 15   | ●                  | ●    | 15                 | 15   |




**DesignLine Groove 15\*\*, White lacquer, similar to RAL 9016, rebated door leaf with round edge**

| Insert            | Tubular chipboard plate |      |
|-------------------|-------------------------|------|
| Door height       | 1985                    | 2110 |
| <b>Door width</b> |                         |      |
| 610               | ●                       | 20   |
| 735               | ●                       | ●    |
| 860               | ●                       | ●    |
| 985               | ●                       | ●    |
| 1110              | 20                      | 20   |
| 1235              | 20                      | 20   |



**DesignLine Rail 1, Duradecor White lacquer or White lacquer, similar to RAL 9016, round edge, design glass 1, design glass 2, Satinato, clear glass**

| Door height       | 1985 | 2110 |
|-------------------|------|------|
| <b>Door width</b> |      |      |
| 610               |      |      |
| 735               |      |      |
| 860               | 15   | 15   |
| 985               | 15   | 15   |
| 1110              |      |      |
| 1235              |      |      |



**DesignLine Groove 29\*\* // NEW, White lacquer, similar to RAL 9016, rebated door leaf with round edge**

| Insert            | Tubular chipboard plate |      |
|-------------------|-------------------------|------|
| Door height       | 1985                    | 2110 |
| <b>Door width</b> |                         |      |
| 610               | 20                      | 20   |
| 735               | ●                       | 20   |
| 860               | ●                       | 20   |
| 985               | ●                       | 20   |
| 1110              | 20                      | 20   |
| 1235              | 20                      | 20   |



**DesignLine Rail 2, Duradecor White lacquer or White lacquer, similar to RAL 9016, round edge, design glass 1, design glass 2, Satinato, clear glass**

| Door height       | 1985 |
|-------------------|------|
| <b>Door width</b> |      |
| 610               |      |
| 735               |      |
| 860               | 15   |
| 985               | 15   |
| 1110              |      |
| 1235              |      |



Carolina 1

Carolina 2

**ClassicLine Carolina 1, 2, White lacquer, similar to RAL 9016, rebated door leaf with round edge**

| Insert             | Tubular chipboard plate |      | LA + rail |      | WAT RC 2 K3 SK2 |      |
|--------------------|-------------------------|------|-----------|------|-----------------|------|
|                    | 1985                    | 2110 | 1985      | 2110 | 1985            | 2110 |
| <b>Door height</b> |                         |      |           |      |                 |      |
| <b>Door width</b>  |                         |      |           |      |                 |      |
| 610                | ●                       | 20   | 20        | 20   |                 |      |
| 735                | ●                       | ●    | 20        | 20   |                 |      |
| 860                | ●                       | ●    | ●         | 20   | 20***           | 20   |
| 985                | ●                       | ●    | 20        | 20   | 20***           | 20   |



Carolina 4

**ClassicLine Carolina 4, White lacquer, similar to RAL 9016, rebated door leaf with round edge**

| Insert             | Tubular chipboard plate |      | LA + rail |      | WAT RC 2 K3 SK2 |      |
|--------------------|-------------------------|------|-----------|------|-----------------|------|
|                    | 1985                    | 2110 | 1985      | 2110 | 1985            | 2110 |
| <b>Door height</b> |                         |      |           |      |                 |      |
| <b>Door width</b>  |                         |      |           |      |                 |      |
| 610                | ●                       | 15   | 20        | 20   |                 |      |
| 735                | ●                       | 15   | 20        | 20   |                 |      |
| 860                | ●                       | 15   | 20        | 20   | 20***           | 20   |
| 985                | 15                      | 15   | 20        | 20   | 20***           | 20   |



Carolina 5

**ClassicLine Carolina 5, White lacquer, similar to RAL 9016, rebated door leaf with round edge**

| Insert             | Tubular chipboard plate |      | LA + rail |      | WAT RC 2 K3 SK2 |      |
|--------------------|-------------------------|------|-----------|------|-----------------|------|
|                    | 1985                    | 2110 | 1985      | 2110 | 1985            | 2110 |
| <b>Door height</b> |                         |      |           |      |                 |      |
| <b>Door width</b>  |                         |      |           |      |                 |      |
| 610                | 15                      | 15   |           |      |                 |      |
| 735                | ●                       | 15   | 20        |      |                 |      |
| 860                | ●                       | 15   | 20        |      | 20***           | 20   |
| 985                | 15                      | 15   | 20        |      | 20***           | 20   |



Virginia 3

**ClassicLine Virginia 3, White lacquer decor, rebated door leaf with round edge**

| Insert             | 1985 | Timber infill | Clear glass infill |      | Satinato glass infill |      |
|--------------------|------|---------------|--------------------|------|-----------------------|------|
|                    |      | 1985          | 1985               | 1985 | 1985                  | 1985 |
| <b>Door height</b> |      |               |                    |      |                       |      |
| <b>Door width</b>  |      |               |                    |      |                       |      |
| 735                | ●    | 20            | 20                 | 20   | 20                    | 20   |
| 860                | ●    | 20            | 20                 | 20   | 20                    | 20   |

**Fast-track programme**

● available from stock

**15 Delivery time 15 business days\***

**20 Delivery time 20 business days\***

\* Business days: Monday to Friday with the exception of bank holidays

\*\* All other Groove styles are available in the fast-track programme with a delivery time of 20 business days.

\*\*\* Attention: Carolina compression moulding on latch side, rebate side smooth without texture

\*\*\*\* The sliding doors are only available for the SlideCompact version in grid sizes 651, 776, 901, 1026 and 1151 mm. Sliding doors with DIN LA and LA24 are also available in the fast-track programme with a delivery time of 20 working days.

**Frame types**

The matching frames can be found on pages 16 – 18

**Hinge and lock fittings, edge version**

Warehouse goods with standard equipment acc. to price list

Fast-track programme equipment see pages 10 – 12

Doors in rebated version possible

DesignLine Rail 1 / 2 only with V 0026 hinge and deadlock

**LA glazings**

LA glazings in the fast-track programme include the glass types Clear, Satinato and GS035 matt style or clear style for door widths 860 / 985 with heights 1985 / 2110.

**Attention:** Change of delivery time by + 5 business days.

# Fast-track programme for fire-rated doors


## T30 fire-rated doors, rebated door leaf with angular edge

| Insert      | Duradecor |      |
|-------------|-----------|------|
| Door height | 1985      | 2110 |
| Door width  |           |      |
| 610         | 20        | 20   |
| 735         | 20        | 20   |
| 860         | 20        | 20   |
| 985         | 20        | 20   |
| 1110        | 20        | 20   |
| 1235        | 20        | 20   |

Made by



### The following Duradecor surfaces are available from stock:



### Fast-track programme for T30 fire-rated doors with a delivery time of 20 business days\*

T30 fire-rated doors with Duradecor surfaces in the dimensions: height 1860–2110 mm, width 610–1235 mm (with angular edge)

T30 fire-rated doors in White lacquer similar to RAL 9016 in DIN dimensions and special sizes: height 1860–2110 mm and width 610–1235 mm (only with angular edge)

T30 timber frames: wooden wrap-around frame, Softline version (core frame, reveal part, rounded decorative edge), in 3 separate pieces (for screw fixing), cladding widths 60 / 60 mm, cladding thickness 23 / 23 mm, for finished floor, solid stainless steel lock plate, polished (material thickness 3 mm)

T30 steel frames: corner frame and profile frame, in DIN dimensions: 610 to 1235 in height 1985 and 2110 mm, partition wall thicknesses 100 / 125 / 150 mm, solid wall thicknesses 145 / 205 / 270 mm

- For single- / double-leaf doors: depth 32 / 30 mm, ribbing 9 / 9 mm
- For 2-part frames: depth 40 / 55, ribbing 15 / 15 mm
- With grouting lugs: depth 32 / 45 mm, ribbing 15 / 15 mm (only partition wall)
- For corner frames: depth 32 / 15 mm, ribbing 9 mm (only for solid walls)

Locks DIN 18250 FH 20 / 65 PC, hinges V 4437 / V 8037, scissors closer, retractable bottom seal for smoke-tight RS and acoustic insulation SK 1

### Fast-track programme

● available from stock

**15 Delivery time 15 business days\***

**20 Delivery time 20 business days\***

\* Business days: Monday to Friday with the exception of bank holidays



# Fast-track programme for timber doors

| <b>Locks, silver</b>  | <b>Fast-track programme</b> | <b>Delivered "separately"</b> |
|---|-----------------------------|-------------------------------|
| Class 3, 20/55 PC<br>Article no. 4700072 LH/4700073 RH                  | 15                          | ●                             |
| Class 1, 20/55 WC<br>Article no. 4700070 LH/4700071 RH                  | 15                          | ●                             |
| 3-point locking BKS/GU<br>Secury MR 2 20/65<br>Article no. 4715890      | 15                          | ●                             |
| Class 1 silent lock 20/55 deadlock<br>Article no. 4724749 LH/4724750 RH | 15                          | ●                             |
| Class 1 silent lock 20/55 WCL<br>Article no. 4724751 LH/4724752 RH      | 15                          | ●                             |
| Magnetic catch lock 20/55 deadlock<br>Article no. 4734905               | 15                          | ●                             |
| Magnetic catch lock 20/55 WC<br>Article no. 4734907                     | 15                          | ●                             |
| <b>Sliding door locks, nickel silver</b>                                |                             |                               |
| BKS no. 371 PC with circular latch                                      | 15                          | ●                             |
| BKS no. 372 deadlock with circular latch                                | 15                          | ●                             |
| BKS no. 393 with trip handle<br>Article no. 4715809                     | 15                          | ●                             |

| <b>Hinges, silver</b>                                    | <b>Fast-track programme</b> | <b>Delivered "separately"</b> |
|--|-----------------------------|-------------------------------|
| V 0026-WF<br>Article no. 4700001                         | 15                          | ●                             |
| VX 160-18 3D<br>Article no. 4724696                      | 15                          | ●                             |
| Concealed 3-way adjustable Euro hinge<br>Article no. ??? | 15                          | ●                             |
| VX milling (without hinge)                               | 15                          |                               |
| Concealed 3-way adjustable Euro hinge                    | 15                          | ●                             |

| <b>Bottom seal</b> | <b>Fast-track programme</b> | <b>Delivered "separately"</b> |
|--------------------|-----------------------------|-------------------------------|
| Schall-Ex L-15     | 15                          | ●                             |

| <b>Plastic ventilation grille</b>  | <b>Fast-track programme</b> | <b>Delivered "separately"</b> |
|--|-----------------------------|-------------------------------|
| Brown, article no. 4700074<br>Black, article no. 4709040<br>Grey, article no. 4700077<br>White, article no. 4700075<br>Silver, article no. 4700076 | 15                          | ●                             |

| <b>Spyhole</b>  | <b>Fast-track programme</b> | <b>Delivered "separately"</b> |
|---|-----------------------------|-------------------------------|
| Spyhole 12 mm incl. preparation 14 mm,<br>article no. 4700078 | 15                          | ●                             |
| Drill hole 14 mm  |                             |                               |

| <b>Additional accessories</b> | <b>Fast-track programme</b> | <b>Delivered "separately"</b> |
|-------------------------------|-----------------------------|-------------------------------|
| Leverage protection           | 15                          |                               |

## Fast-track programme





● available from stock






**15 Delivery time 15 business days\***

\* Business days: Monday to Friday with the exception of bank holidays

# Fast-track programme for lever handle sets for timber doors

| Lever handle set               | <br><b>Apart</b><br>Matt stainless steel | <br><b>Basica 2</b><br>Matt stainless steel | <br><b>Basica 3</b><br>Matt stainless steel | <br><b>Luba</b><br>Matt stainless steel | <br><b>Dee</b><br>Matt stainless steel |
|--------------------------------|---|--|--|--|---|
| Round rose escutcheon deadlock | ● Article no. 4726431   | ● Article no. 4726472  | ● Article no. 4726446  | ● Article no. 4726479  | ● Article no. 4726434   |
| Round rose escutcheon PC       | ● Article no. 4726432   | ● Article no. 4726473  | ● Article no. 4726447  | ● Article no. 4726480  | ● Article no. 4726436   |
| Round rose escutcheon WC       | ● Article no. 4726433   | ● Article no. 4726474  | ● Article no. 4726448  | ● Article no. 4726481  | ● Article no. 4726438   |

| Lever handle set                    | <br><b>Linea</b><br>Matt / polished stainless steel | <br><b>Indra</b><br>Matt stainless steel | <br><b>Lilet gloss</b><br>chrome / handle<br>White porcelain | <br><b>Selecta</b><br>Matt stainless steel |
|-------------------------------------|--|---|---|---|
| Round rose escutcheon deadlock      | ● Article no. 4700006  | ● Article no. 4726463   | ● Article no. 4726493   | ● Article no. 4726475   |
| Round rose escutcheon PC            | ● Article no. 4700007  | ● Article no. 4726465   | ● Article no. 4726494   | ● Article no. 4726476   |
| Round rose escutcheon WC            | ● Article no. 4700010  | ● Article no. 4726467   | ● Article no. 4726495   | ● Article no. 4726477   |
| Round flat rose escutcheon deadlock | ● Article no. 4726427  | ● Article no. 4726464   |   |   |
| Round flat rose escutcheon PC       | ● Article no. 4726428  | ● Article no. 4726466   |   |   |
| Round flat rose escutcheon WC       | ● Article no. 4726429  | ● Article no. 4726468   |   |   |

| Lever handle set                      | <br><b>Linea</b><br>Matt / polished stainless steel | <br><b>Dee</b><br>Matt stainless steel | <br><b>Quadriga</b><br>Matt stainless steel | <br><b>Karee</b><br>Matt stainless steel | <br><b>Grafica</b><br>Matt / polished stainless steel |
|---------------------------------------|--|---|--|---|--|
| Angular rose escutcheon deadlock      | ● Article no. 4726421  | ● Article no. 4726435   | ● Article no. 4726449  | ● Article no. 4733238   | ● Article no. 4730580  |
| Angular rose escutcheon PC            | ● Article no. 4726423  | ● Article no. 4726437   | ● Article no. 4726450  |   | ● Article no. 4730581  |
| Angular rose escutcheon WC            | ● Article no. 4726425  | ● Article no. 4726439   | ● Article no. 4726451  |   | ● Article no. 4730582  |
| Angular flat rose escutcheon deadlock |  |   |  |   | ● Article no. 4726459  |
| Angular flat rose escutcheon PC       |  |   |  |   | ● Article no. 4726460  |
| Angular flat rose escutcheon WC       |  |   |  |   | ● Article no. 4726461  |

# Fast-track programme for black.edition in RAL 9005, matt black



**Linea**

**Linea**

Lever handle sets for timber doors

Round rose escutcheon deadlock ● Article no. 4733909

Round rose escutcheon WC ● Article no. 4711911

Round flat rose escutcheon deadlock ● Article no. 4733910

Round flat rose escutcheon WC ● Article no. 4733912

Security handle set ● Article no. 4734397



**Karee**

**Karee**

Lever handle sets for timber doors

Angular rose escutcheon deadlock ● Article no. 4733914

Angular rose escutcheon WC ● Article no. 4733916

Angular flat rose escutcheon deadlock ● Article no. 4733915

Angular flat rose escutcheon WC ● Article no. 4733917

Security handle set ● Article no. 4734398



**Purista Combi, matt stainless steel**



**Sliding door system SlideCompact**



**Accessory set: hinges, lock plate, lock cover**



Glass door fitting including Office hinges with frame parts For timber frame

Studio lock case UV ● Article no. 4734409

- For wall fitting
- For ceiling fitting
- For fitting in front of the frame

● Configurable



**Lever handle set Linea**



**Lever handle set Karee**



**Handle bar Flat**



**Recessed lever handle Norma 3657 Oval**



**Recessed lever handle round 6402 for glass doors**

Lever handle sets, handle bar and recessed lever handles for glass doors

● Article no. 4733909

● Article no. 4733913

● Article no. 4733923

● Article no. 4734378

● Article no. 4733920

# Fast-track programme for fittings, lever handle sets and sliding door systems for glass doors



**Glass door fitting including Office hinges with frame parts for timber frame**

**Basic complete door set including Linea lever handle, matt stainless steel**



**Aronda combination set, matt stainless steel**



**Purista Combi, Matt stainless steel**

|                                  |                       |                       |                       |
|----------------------------------|-----------------------|-----------------------|-----------------------|
| <b>Studio lock case UV</b>       | ● Article no. 4721745 | ● Article no. 4723269 | ● Article no. 4723272 |
| <b>Studio lock case deadlock</b> | ● Article no. 4721746 | ● Article no. 4723270 | ● Article no. 4723273 |
| <b>Studio lock case PC</b>       | ● Article no. 4721747 | ● Article no. 4723271 | ● Article no. 4723274 |



**Lever handle set**

**Lever handle set Apart  
Matt stainless steel**



**Lever handle set Dee  
Matt stainless steel**



**Lever handle set Linea  
Matt stainless steel**



**Lever handle set Belis  
Matt stainless steel**

● Article no. 4722048

● Article no. 4722049

● Article no. 4722050

● Article no. 4722051



**Lever handle set Karee  
Matt stainless steel**




**Lever handle set Basica 3  
Matt stainless steel**



**Lever handle set  
Quadriga  
Matt stainless steel**



**Lever handle set Nala  
Matt stainless steel**



**Lever handle set Grafica  
Matt stainless steel**

● Article no. 4733237

● Article no. 4722052

● Article no. 4722053

● Article no. 4722054

● Article no. 4722055



**Recessed lever handles,  
handle bars**

**Handle recess, round,  
closed  
Matt stainless steel**



**Handle recess, angular,  
closed  
Stainless steel-coloured**



**Handle bar  
Matt stainless steel**

● Article no. 4723355

● Article no. 4723354

● Push handle 400 mm

● Push handle, angled,  
500 mm

● Push handle 400 mm



**Sliding door systems**

**Rotan 2000 mm**



**SlideCompact with/  
without SafeClose  
2000 mm, stainless  
steel colours**

● For wall fitting

● For wall fitting

● For ceiling fitting

● For fitting in front  
of the frame

# Fast-track programme for glass doors



**Glass door, GrooveGlas 14 / 10,  
clear style**

| DIN         | Left |      | Right |      |
|-------------|------|------|-------|------|
| Door height | 1972 | 2097 | 1972  | 2097 |
| Door width  |      |      |       |      |
|             | 709  | ●    |       | ●    |
|             | 834  | ●    |       | ●    |
|             | 959  | ●    |       | ●    |



**Glass door, GrooveGlas 85 / 10,  
clear style**

| DIN         | Left |      | Right |      |
|-------------|------|------|-------|------|
| Door height | 1972 | 2097 | 1972  | 2097 |
| Door width  |      |      |       |      |
|             | 709  | ●    |       | ●    |
|             | 834  | ●    |       | ●    |
|             | 959  | ●    |       | ●    |



**Glass door, GrooveGlas 15 / 10  
single-pane safety glass,  
clear style**

| DIN         | Left |      | Right |      |
|-------------|------|------|-------|------|
| Door height | 1972 | 2097 | 1972  | 2097 |
| Door width  |      |      |       |      |
|             | 709  | ●    |       | ●    |
|             | 834  | ●    |       | ●    |
|             | 959  | ●    |       | ●    |



**Glass door, Raff,  
matt style**

| DIN         | Left |      | Right |      |
|-------------|------|------|-------|------|
| Door height | 1972 | 2097 | 1985  | 2110 |
| Door width  |      |      |       |      |
|             | 709  |      |       |      |
|             | 834  | ●    |       | ●    |
|             | 959  |      |       |      |



**Glass door, GrooveGlas 15 / 10  
single-pane safety glass,  
matt style**

| DIN         | Left |      | Right |      |
|-------------|------|------|-------|------|
| Door height | 1972 | 2097 | 1985  | 2110 |
| Door width  |      |      |       |      |
|             | 709  |      |       |      |
|             | 834  | ●    |       | ●    |
|             | 959  |      |       |      |



**Glass door, Wave,  
clear style**

| DIN         | Left |      | Right |      |
|-------------|------|------|-------|------|
| Door height | 1972 | 2097 | 1972  | 2097 |
| Door width  |      |      |       |      |
|             | 709  | ●    |       | ●    |
|             | 834  | ●    |       | ●    |
|             | 959  | ●    |       | ●    |



**Glass door, GrooveGlas 29,  
clear style**

| DIN         | Left |      | Right |      |
|-------------|------|------|-------|------|
| Door height | 1972 | 2097 | 1972  | 2097 |
| Door width  |      |      |       |      |
|             | 709  | ●    |       | ●    |
|             | 834  | ●    |       | ●    |
|             | 959  | ●    |       | ●    |

## Fast-track programme

● available from stock

**15** Delivery time 15 business days\*

**20** Delivery time 20 business days\*

\* Business days: Monday to Friday with the exception of bank holidays

## Frame types

The matching frames can be found on pages 16 – 18

All of our glass doors are prepared with a “Studio” lock hole and an “Office” hinge hole

# Fast-track programme for glass doors



## Glass door, clear single-pane safety glass

| DIN         | Left |      | Right |      |
|-------------|------|------|-------|------|
| Door height | 1972 | 2097 | 1972  | 2097 |
| Door width  |      |      |       |      |
| 709         | ●    |      | ●     |      |
| 834         | ●    | ●    | ●     | ●    |
| 959         | ●    |      | ●     |      |



## Glass door, Satinato single-pane safety glass

| DIN         | Left |      | Right |      |
|-------------|------|------|-------|------|
| Door height | 1972 | 2097 | 1972  | 2097 |
| Door width  |      |      |       |      |
| 709         | ●    |      | ●     |      |
| 834         | ●    | ●    | ●     | ●    |
| 959         | ●    |      | ●     |      |



## Glass door, Master-Carré single-pane safety glass

| DIN         | Left |      | Right |      |
|-------------|------|------|-------|------|
| Door height | 1972 | 2097 | 1972  | 2097 |
| Door width  |      |      |       |      |
| 709         |      |      |       |      |
| 834         | ●    |      |       |      |
| 959         |      |      |       |      |



## Glass door, solid silkscreen

| DIN         | Left |      | Right |      |
|-------------|------|------|-------|------|
| Door height | 1972 | 2097 | 1972  | 2097 |
| Door width  |      |      |       |      |
| 709         |      |      |       |      |
| 834         | ●    |      |       |      |
| 959         |      |      |       |      |



## Sliding glass door for SlideCompact, running in front of the wall, Clear single-pane safety glass, Satinato single-pane safety glass, GrooveGlas 15 / 10 single-pane safety glass, matt style, GrooveGlas 15 / 10 single-pane safety glass, clear style

| Opening to the left |      |
|---------------------|------|
| Door height         | 2060 |
| Door width          |      |
| 935                 | ●    |

Recessed lever handle drill hole (diameter) 50 mm

### Fast-track programme

● available from stock

15 Delivery time 15 business days\*

20 Delivery time 20 business days\*

\* Business days: Monday to Friday with the exception of bank holidays

### Frame types

The matching frames can be found on pages 16 – 18

All of our glass doors are prepared with a “Studio” lock hole and an “Office” hinge hole

# Fast-track programme for timber frames

## Frames with round edge, Duradecor White lacquer\*\*

| Wall thickness | 80   | 100 | 120 | 140 | 150 | 160 | 180 | 200 | 220 | 240 | 260 | 270 | 280 | 300 | 320 |    |
|----------------|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----|
| Door height    | 1985 |     |     |     |     |     |     |     |     |     |     |     |     |     |     |    |
| Door width     |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |    |
| 610            | ●    | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●   | 10  | 10  | ●   | 10  | ●   | 10  | 10 |
| 735            | ●    | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●   | 10  | ●   | ●   | ●   | ●  |
| 860            | ●    | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●  |
| 985            | ●    | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●  |
| 1110           | 15   | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15 |
| 1235           | 15   | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15 |

| Passage frame | 140 | 200 | 260 |
|---------------|-----|-----|-----|
| 1985          |     |     |     |
|               | ●   | 15  | ●   |
|               | ●   | 15  | ●   |
|               | ●   | ●   | ●   |
|               | ●   | ●   | ●   |
|               | 15  | 15  | 15  |
|               | 15  | 15  | 15  |

## Frames with round edge, Duradecor White lacquer\*\*

| Wall thickness | 80   | 100 | 120 | 140 | 150 | 160 | 180 | 200 | 220 | 240 | 260 | 270 | 280 | 300 | 320 |    |
|----------------|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----|
| Door height    | 2110 |     |     |     |     |     |     |     |     |     |     |     |     |     |     |    |
| Door width     |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |    |
| 610            | 10   | ●   | ●   | ●   | ●   | 10  | 10  | ●   | 10  | 10  | 10  | 10  | 10  | 10  | 10  | 10 |
| 735            | ●    | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●   | 10  | ●   | 10  | ●   | 10  | 10  | 10 |
| 860            | ●    | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●  |
| 985            | ●    | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●  |
| 1110           | 15   | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15 |
| 1235           | 15   | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15 |

| Passage frame | 140 | 200 | 260 |
|---------------|-----|-----|-----|
| 1985          |     |     |     |
|               | 15  | 15  | 15  |
|               | 15  | 15  | 15  |
|               | 15  | 15  | 15  |
|               | 15  | 15  | 15  |
|               | 15  | 15  | 15  |
|               | 15  | 15  | 15  |

## Oval shaped frames, Duradecor White lacquer\*\*


| Wall thickness | 80   | 100 | 120 | 140 | 150 | 160 | 180 | 200 | 220 | 240 | 260 | 280 | 300 | 320 |    |    |
|----------------|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----|----|
| Door height    | 1985 |     |     |     |     |     |     |     |     |     |     |     |     |     |    |    |
| Door width     |      |     |     |     |     |     |     |     |     |     |     |     |     |     |    |    |
| 610            | 15   | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15 | 15 |
| 735            | 15   | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15 | 15 |
| 860            | 15   | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15 | 15 |
| 985            | 15   | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15 | 15 |
| 1110           | 15   | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15 | 15 |
| 1235           | 15   | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15 | 15 |

| Passage frame | 140 | 200 | 260 |
|---------------|-----|-----|-----|
| 1985          |     |     |     |
|               | 15  | 15  | 15  |
|               | 15  | 15  | 15  |
|               | 15  | 15  | 15  |
|               | 15  | 15  | 15  |
|               | 15  | 15  | 15  |
|               | 15  | 15  | 15  |

## Frames with round edge, Duradecor White Parchment\*\*, timber design\*\*, White Ash, Canad. Maple, Italian Acacia texture, French Beech, Wild Oak (vertical decor pattern)

| Wall thickness | 80   | 100 | 120 | 140 | 150 | 160 | 180 | 200 | 220 | 240 | 260 | 270 | 280 | 300 | 320 |    |
|----------------|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----|
| Door height    | 1985 |     |     |     |     |     |     |     |     |     |     |     |     |     |     |    |
| Door width     |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |    |
| 610            | 10   | 10  | 10  | ●   | 10  | 10  | 10  | 10  | 10  | 10  | 10  | 10  | 10  | 10  | 10  | 10 |
| 735            | ●    | ●   | ●   | ●   | 10  | ●   | ●   | ●   | 10  | 10  | ●   | 10  | ●   | ●   | ●   | ●  |
| 860            | ●    | ●   | ●   | ●   | 10  | ●   | ●   | ●   | ●   | ●   | ●   | 10  | ●   | ●   | ●   | ●  |
| 985            | 10   | 10  | 10  | 10  | 10  | ●   | ●   | ●   | 10  | 10  | 10  | 10  | 10  | 10  | 10  | 10 |
| 1110           | 15   | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15 |
| 1235           | 15   | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15 |

| Passage frame | 140 | 200 | 260 |
|---------------|-----|-----|-----|
| 1985          |     |     |     |
|               | 15  | 15  | 15  |
|               | 15  | 15  | 15  |
|               | 15  | 15  | 15  |
|               | 15  | 15  | 15  |
|               | 15  | 15  | 15  |
|               | 15  | 15  | 15  |



# Fast-track programme for timber frames

## Frame with 80 mm cladding, Duradecor White lacquer\*\*, all colours and decors (vertical decor pattern)

| Wall thickness     | 80          | 100 | 120 | 140 | 150 | 160 | 180 | 200 | 220 | 240 | 260 | 280 | 300 | 320 |
|--------------------|-------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| <b>Door height</b> | <b>1985</b> |     |     |     |     |     |     |     |     |     |     |     |     |     |
| <b>Door width</b>  |             |     |     |     |     |     |     |     |     |     |     |     |     |     |
| <b>610</b>         | 15          | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  |
| <b>735</b>         | 15          | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  |
| <b>860</b>         | 15          | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  |
| <b>985</b>         | 15          | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  |
| <b>1110</b>        | 15          | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  |
| <b>1235</b>        | 15          | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  |

## Passage frame

|             | 140 | 200 | 260 |
|-------------|-----|-----|-----|
| <b>1985</b> |     |     |     |
|             | 15  | 15  | 15  |
|             | 15  | 15  | 15  |
|             | 15  | 15  | 15  |
|             | 15  | 15  | 15  |
|             | 15  | 15  | 15  |
|             | 15  | 15  | 15  |

## VarioFix steel frame, primed RAL 7035, powder-coated RAL 9016

| Wall thickness     | 100         | 125 | 150         | 100 | 125 | 150 |
|--------------------|-------------|-----|-------------|-----|-----|-----|
| <b>Door height</b> | <b>1985</b> |     | <b>2110</b> |     |     |     |
| <b>Door width</b>  |             |     |             |     |     |     |
| <b>610</b>         | 15          | 15  | 15          | 15  | 15  | 15  |
| <b>735</b>         | 15          | 15  | 15          | 15  | 15  | 15  |
| <b>860</b>         | 15          | 15  | 15          | 15  | 15  | 15  |
| <b>985</b>         | 15          | 15  | 15          | 15  | 15  | 15  |



### Frames with round edge, White lacquer\*\*\*, similar to RAL 9016

| Wall thickness          | 80 | 100 | 120 | 140 | 150 | 160 | 180 | 200 | 220 | 240 | 260 | 280 | 300 | 320 |
|-------------------------|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| <b>Door height 1985</b> |    |     |     |     |     |     |     |     |     |     |     |     |     |     |
| <b>Door width</b>       |    |     |     |     |     |     |     |     |     |     |     |     |     |     |
| 610                     | 15 | ●   | 15  | ●   | 15  | ●   | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  |
| 735                     | 15 | ●   | ●   | ●   | 15  | ●   | ●   | ●   | 15  | 15  | ●   | ●   | 15  | 15  |
| 860                     | ●  | ●   | ●   | ●   | 15  | ●   | ●   | ●   | ●   | ●   | ●   | ●   | ●   | 15  |
| 985                     | 15 | 15  | ●   | ●   | 15  | 15  | 15  | ●   | 15  | 15  | ●   | ●   | 15  | 15  |
| 1110                    | 15 | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  |
| 1235                    | 15 | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  |

### Passage frame

|             | 140 | 200 | 260 |
|-------------|-----|-----|-----|
| <b>1985</b> |     |     |     |
|             | 15  | 15  | 15  |
|             | 15  | 15  | 15  |
|             | 15  | 15  | 15  |
|             | 15  | 15  | 15  |
|             | 15  | 15  | 15  |

### Frames with round edge, White lacquer\*\*\*, similar to RAL 9016

| Wall thickness          | 80 | 100 | 120 | 140 | 150 | 160 | 180 | 200 | 220 | 240 | 260 | 280 | 300 | 320 |
|-------------------------|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| <b>Door height 2110</b> |    |     |     |     |     |     |     |     |     |     |     |     |     |     |
| <b>Door width</b>       |    |     |     |     |     |     |     |     |     |     |     |     |     |     |
| 610                     | 15 | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  |
| 735                     | 15 | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  |
| 860                     | 15 | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  |
| 985                     | 15 | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  |
| 1110                    | 15 | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  |
| 1235                    | 15 | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  |

### Passage frame

|             | 140 | 200 | 260 |
|-------------|-----|-----|-----|
| <b>1985</b> |     |     |     |
|             | 15  | 15  | 15  |
|             | 15  | 15  | 15  |
|             | 15  | 15  | 15  |
|             | 15  | 15  | 15  |
|             | 15  | 15  | 15  |

### Frames with angular edge, White lacquer\*\*\*, similar to RAL 9016

| Wall thickness          | 80 | 100 | 120 | 140 | 150 | 160 | 180 | 200 | 220 | 240 | 260 | 270 | 280 | 300 | 320 |
|-------------------------|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| <b>Door height 1985</b> |    |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
| <b>Door width</b>       |    |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
| 610                     | 15 | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  |
| 735                     | 15 | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  |
| 860                     | 15 | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  |
| 985                     | 15 | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  |
| 1110                    | 15 | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  |
| 1235                    | 15 | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  |

### Passage frame

|             | 140 | 200 | 260 |
|-------------|-----|-----|-----|
| <b>1985</b> |     |     |     |
|             | 15  | 15  | 15  |
|             | 15  | 15  | 15  |
|             | 15  | 15  | 15  |
|             | 15  | 15  | 15  |
|             | 15  | 15  | 15  |

### Frames with angular edge, White lacquer\*\*\*, similar to RAL 9016

| Wall thickness          | 80 | 100 | 120 | 140 | 150 | 160 | 180 | 200 | 220 | 240 | 260 | 270 | 280 | 300 | 320 |
|-------------------------|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| <b>Door height 2110</b> |    |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
| <b>Door width</b>       |    |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
| 610                     | 15 | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  |
| 735                     | 15 | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  |
| 860                     | 15 | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  |
| 985                     | 15 | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  |
| 1110                    | 15 | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  |
| 1235                    | 15 | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  | 15  |

### Passage frame

|             | 140 | 200 | 260 |
|-------------|-----|-----|-----|
| <b>1985</b> |     |     |     |
|             | 15  | 15  | 15  |
|             | 15  | 15  | 15  |
|             | 15  | 15  | 15  |
|             | 15  | 15  | 15  |
|             | 15  | 15  | 15  |

### Fast-track programme

● available from stock

**15 Delivery time 15 business days\***

**20 Delivery time 20 business days\***

\* Business days: Monday to Friday with the exception of bank holidays

\*\* All other frames with Duradecor surfaces with a height of 1860–2110 mm and width of 610–985 mm are available in the fast-track programme with a delivery time of 10 business days, as well as with a height of 1860–2110 mm and widths 1100, 1235 mm in the fast-track programme with a delivery time of 15 business days.

# Residential internal door fast-track programme

Over **155** door versions  
Available from stock



## And this is how easy it is

- You order directly from your Hörmann regional sales office
- Immediately upon receipt of the order, we issue an acknowledgement to confirm that your order has been received
- Delivery is made in a weekly tour rhythm
- In order to maintain the delivery times, orders must be placed by Tuesday at 5 pm
  
- Changes to the order can be made free of charge until 5 pm on the day the order is received. Changes or cancellation received by 5 pm on the following day are charged a net fee of €105 per order. Your order will then be sent to production.
- Unless specified otherwise by the customer (partial delivery), the longest delivery time will always apply to the order
- For orders with more than 50 elements = delivery time on request
- From a net order value of €250, we deliver as part of a tour free to the retailer warehouse of the ordering party anywhere on the German mainland
- The delivery time may be longer during the summer, at the end of the year or in case of extreme volumes of incoming orders
- Scope of delivery according to the Hörmann price lists or Hörmann technical manual
- Area of validity: Germany.

**HÖRMANN**